

# RAILWAYS PRODUCTS

## Sanding nozzle for sanding systems:

Individual design of sanding nozzle's according customer's requests

Sanding nozzle's surface treatment according customer's requests

Sanding nozzle's material – steel, stainless steel

Sanding nozzle's heater – 30W, 50W, 24V, 48V, 110V

Low weight

High mechanical protection.

High reliability [in difficult climatic conditions]



TRIBOTEC spol. s r.o.  
Košuličova 4  
619 00 BRNO  
CZECH REPUBLIC

phone: +420 543 425 611  
+420 543 425 613  
fax: +420 543 212 328  
e-mail: [tc@tribotec.cz](mailto:tc@tribotec.cz)

## SANDING NOOZLE

Pos	Name	Picture	Draw
1	<p><b>Sanding nozzle - straight</b></p> <p><u>Variant 24V</u>            ID: 8 53 4087      ID: 8 53 4088            P=30W              P=50W</p> <p><u>Variant 48V</u>            ID: 8 53 4089      ID: 8 53 4090            P=30W              P=50W</p> <p><u>Variant 110V</u>            ID: 8 53 4091      ID: 8 53 4092            P=30W              P=50W</p> <p>Protection surface: zinc            Weight: 0,6 Kg</p>		
2	<p><b>Sanding nozzle - bend 10°</b></p> <p><u>Variant 24V</u>            ID: 8 53 4093      ID: 8 53 4094            P=30W              P=50W</p> <p><u>Variant 48V</u>            ID: 8 53 4095      ID: 8 53 4096            P=30W              P=50W</p> <p><u>Variant 110V</u>            ID: 8 53 4097      ID: 8 53 4098            P=30W              P=50W</p> <p>Protection surface: zinc            Weight: 0,6 Kg</p>		

## SANDING NOOZLE

Pos	Name	Picture	Draw
<b>3</b>	<p><b>Sanding nozzle - bend 20°</b></p> <p><u>Variant 24V</u>            ID: 8 53 4099      ID: 8 53 4100            P=30W              P=50W</p> <p><u>Variant 48V</u>            ID: 8 53 4101      ID: 8 53 4102            P=30W              P=50W</p> <p><u>Variant 110V</u>            ID: 8 53 4103      ID: 8 53 4104            P=30W              P=50W</p> <p>Protection surface: zinc            Weight: 0,6 Kg</p>		
<b>4</b>	<p><b>Sanding nozzle Ro</b></p> <p><u>Variant 24V</u>            ID: 8 53 5196      ID: 8 53 5741            P=30W              P=50W</p> <p>Protection surface: zinc            Weight: 0,55 Kg</p>		

## SANDING NOOZLE

Pos	Name	Picture	Draw
5	<p><b>Sanding nozzle</b></p> <p><u>Variant L</u>            ID: 8 53 4791      ID: 8 53 5742            P=30W              P=50W            U=24V              U=24V</p> <p><u>Variant P</u>            ID: 8 53 4792      ID: 8 53 5743            P=30W              P=50W            U=24V              U=24V</p> <p>Protection surface: stainless steel            Weight: 0,55 Kg</p>		
6	<p><b>Sanding nozzle</b></p> <p><u>Variant L</u>            ID: 8 53 5971            P=30W            U=24V</p> <p><u>Variant P</u>            ID: 8 53 5973            P=30W            U=24V</p> <p>Protection surface: stainless steel,            aluminium            Weight: 0,65 Kg</p>		

## SANDING NOOZLE

Pos	Name	Picture	Draw
7	<p><b>Sanding nozzle</b></p> <p>ID: 53 2142</p> <p>Protection surface: zinc Weight: 0,35 Kg</p>		
8	<p><b>Sanding nozzle</b></p> <p>Variant L ID: 53 3472</p> <p>Variant P ID: 53 3473</p> <p>Protection surface: zinc Weight: 0,35 Kg</p>		
9	<p><b>Sanding nozzle</b></p> <p>ID: 53 2142</p> <p>Protection surface: zinc Weight: 0,20 Kg</p>		